

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (twice amended) A cutting device, comprising:
  - (a) a rotatable base;
  - (b) said base defining a plurality of closed-sided, tooth sockets, each closed-sided tooth socket comprising a bottom and plurality of adjacent raised sides;
  - (c) a plurality of tooth assemblies mounted within respective sockets, each tooth assembly comprising a tooth holder, and a cutting tip projecting from said rotatable base for engaging and cutting an object, said tooth holder having a base-engaging portion ~~adapted to fit closely adjacent~~ residing within 1/32 inches from each of the raised sides of said closed-sided tooth socket, such that the raised sides cooperate to secure said tooth assembly and provide resistance during rotation of said cutting device.
  
2. (previously amended) A cutting device according to claim 1, wherein said tooth socket defines a recessed box comprising a generally flat bottom and four raised sides.
  
3. (original) A cutting device according to claim 2, wherein the base-engaging portion of said tooth holder resides closely adjacent all four sides of said socket.

4. (original) A cutting device according to claim 3, wherein said recessed box is substantially rectangular.

5. (original) A cutting device according to claim 4, wherein said recessed box has a length dimension and a width dimension, said length dimension being greater than 2 times said width dimension.

6. (original) A cutting device according to claim 5, wherein the depth of said tooth socket is greater than 1/16 inches.

7. (original) A cutting device according to claim 1, wherein said cutting tip, tooth holder, and socket define respective axially-aligned openings adapted for receiving an elongated fastener for securing said cutting tip and tooth holder to said rotatable base.

8. (twice amended) A cutting device, comprising:

- (a) a rotatable disk having first and second opposing major surfaces;
- (b) said disk defining a plurality of closed-sided, tooth sockets formed with each of said first and second major surfaces, each closed-sided tooth socket comprising a bottom and plurality of adjacent raised sides;
- (c) a plurality of tooth assemblies mounted within respective sockets, each tooth assembly comprising a tooth holder, and a cutting tip projecting from said rotatable base for engaging and cutting an object, said tooth holder having a base-engaging portion ~~adapted to fit closely adjacent~~ residing within 1/32 inches from each of the raised sides of said closed-sided tooth socket, such that the raised sides cooperate to secure said tooth assembly and provide resistance during rotation of said cutting device.

9. (original) A cutting device according to claim 8, wherein said tooth sockets are arranged to receive respective tooth assemblies in matched pairs on opposing major surfaces of said rotatable disk.

10. (original) A cutting device according to claim 9, wherein said cutting tip and tooth holder of each matched pair of tooth assemblies and said corresponding tooth sockets define respective axially-aligned openings adapted for receiving an elongated fastener for securing said cutting tip and tooth holder of each matched pair to said rotatable disk.

11. (previously amended) A cutting device according to claim 8, wherein said tooth socket defines a recessed box comprising a generally flat bottom and four raised sides.

12. (original) A cutting device according to claim 11, wherein the base-engaging portion of said tooth holder resides closely adjacent all four sides of said socket.

13. (original) A cutting device according to claim 12, wherein said recessed box is substantially rectangular.

14. (original) A cutting device according to claim 13, wherein said recessed box has a length dimension and a width dimension, said length dimension being greater than 2 times said width dimension.

15. (original) A cutting device according to claim 14, wherein the depth of said tooth socket is greater than 1/16 inches.

16. (previously cancelled)

17. (previously cancelled)

Applicant: Shinn, Rickey D.  
Serial No.: 10/760,567  
Page 6

18. (previously cancelled)

19. (previously cancelled)

20. (previously cancelled)